Lab 3: Spread of memes on a network

The deadline for this sheet is midnight Monday 31st of August.

Please submit hand-ins on Studentportalen. All code should be included. Please feel free to submit videos illustrating your results where appropriate, via Studentportalen or uploaded elsewhere. You may work in groups of size 1-4, and only one group member needs to submit the assignment. State clearly the members of the group.

3. Spread of memes

Consider the following model of the spread of Internet memes. There are three states: resting (R), sharing (S) and bored (B). We will consider various rules for how memes spread between individuals. Use discrete time steps in the model.

- 1. Lets first assume the following rules for spreading of memes for each time step of the model.
 - **Resting** With probability p a resting person will discover a new meme by herself and become a sharer.
 - **Sharer** With probability q a sharer will pick one person completely at random from the population. If that person is resting then they will now become a sharer. However, if the person they pick is bored, then the sharer will lose interest and become bored too.
 - **Bored** With probability r a bored person will pick one person completely at random from the population. If that person is resting then the bored person will now become resting, otherwise they will continue to be bored.

Write a simulation of this model and run it with N = 1000 people of whom only one is bored (i.e. B(0) = 1) and only one who is sharing (S(0) = 1). Simulate this model for different parameter values and describe the types of dynamics that can arise. Start by choosing a very small value of p. (e.g. p = 0.001 and q = 0.01). For repeated simulations of the model for these parameter values and show the mean change in number of sharers over time. Plot how the number of sharers changes in this model. (4 points) 2. Implement the same model as the one above, but on (a) a two dimensional lattice and (b) a real network with at least 100 vertices. When individuals pick people to interact with, they pick (still randomly) only from their nearest neighbours and not from the whole population. For the lattice use periodic boundary conditions, so that cells interact over the left and right and the top and bottom boundaries. Investigate properties of this model and write a short report, including pictures and/or film, explaining the patterns the model generates and explaining how different network structures effect the model outcome. (6 points)